

LINE

## RANDER GRAY

Ultra-premium 6-inch boots. Perfect fit and comfort.  
Exclusive design. State-of-the-art technology and components.



### TECHNOLOGIES

#### ■ IPD TECHNOLOGY

Progressive density increase. High comfort, optimum cushioning in the heel area and maximum stability in the step.

#### ■ ANTITORSION INSERT

Highly dense semi rigid TPU insert. Controls unwanted twisting and protects the arch of the foot.

#### ■ DURATEX

Fabric with high abrasion and flexion resistance.

#### ■ AIRCORE

High technology lining, three layer with permanent airflow air chamber.

#### ■ FOAMFREE

Inside linings without synthetic foam support. It reduces moisture, and increases comfort.

#### ■ DCP SYSTEM

System of high-density TPU double insert which significantly increases resistance to abrasion and grip.

#### ■ SHOCK ABSORBER

Programmed deformation ovoidal vault system. It redirects the load on the cue by distributing it evenly.

#### ■ DRYMAX

Double layer lining. Textile fabric in contact with the foot and non-woven layer as support. Comfort and durability.

#### ■ MICROTEC PRO

Effective antimicrobial protection. Prevents the development of microorganisms and bad odors.

**DESCRIPTION****Model:** 6-inch Boot**■ UPPER COMPOUND****Color**

- Gray

**Upper**

- Combination of Leather and Textile Fabrics
- Curried Full-Grain Leather

**Inside**

- DRYMAX Lining (bottom part)

**Collar**

- Padded

**Tongue**

- With Bellows, Lined and Padded

**■ TOE CAP**

- Steel

**■ ACCESORIES****Laces**

- Pulling Resistance

**Lace-keepers**

- High-Endurance Composite, Closed (non-metallic)
- High-endurance composite, open (non-metallic)

**Insoles**

- Ultra-comfortable, ergonomic, conformed insole

**■ PLANT****Other properties**

- Electrical Hazard
- Resistant to Hydrocarbons
- Slip Resistant
- Self-Cleaning
- Resistant to Flexing
- Resistant to Abrasion
- Grooves for Stair-Climbing
- Wide Tread Base

**Compound**

- Multidensity Polyurethane

**Upper plant adhesion**

- Direct injection

**■ OPTIONALS**

- Polypropylene Toe-Cap
- PR - Puncture Resistant

**■ SIZES**

From 6.5 to 13

**SAFETY HAZARDS SPECIFICATIONS**

Last review date: 2022/07/22

**WWW.FUNCIONALWEB.COM**

The content of this document can be changed without previous notice.

© Maincal 2022